

1

1

1

1

2

2

3

4

5

6

7

8

6* 1

100020 2

,

100020 3

100020 4

100020 5

100020 6

100020 7

100020 8

100084

haemocoagulase agkis-
trodon for injection
a

[1-2] a

[3]

[4-6]

Я a

1

1.1

2			2 d 736	2.06%	Я d 88	0.25%
Table 2 Distribution of departments for inpatients of haemocoagulase agkistrodon for injection in children						
	/	/%	3 d 10	0.03%	6 d a	
	14 728	41.23				4 103
	10 986	30.76				
	5 022	14.06				
	4 706	13.17				
	278	0.78				
	35 720	100.00				
427		5			1 U	99.45%
	1.3%		a5	0.5 U	1 U	97.97% a
	Я	Я	Я			4 a
		0.008	Я0.003	Я		Kendall
0.003	Я0.003	a		=0.008,		0.5
	5		Г	Е		a 1
4		1			0.5 U 1	1 U
a4			2	2 U	3 U a	
			3			
0.5 h		5				
	3 a					I
2.3 给药情况的相关性分析						
	Я					a
	a	35 720				
1 d	34 886	97.67%				

3	Table 3 Adverse drug reactions and related manifestations of haemocoagulase agkistrodon for injection in children						
	11 h	Я		Я	Я	Я	Я
	5 m 22 d			Я			Я
	2 m 18 d	Я		Я			
Я	6 y						
	4 y						

4	Table 4 Dosing statistics by different age groups of haemocoagulase agkistrodon for injection in children							
	/U							/%
	0.5	0.5	0.5~	1	1	1		
≤ 28 d	35	256	1		37	0	329	5.67
29 d~1 y	43	842	1		552	2	1 440	24.80
1 y~ 3 y	5	451	0		1 398	8	1 862	32.07
3 y~ 7 y	0	86	1		1 165	4	1 256	21.63
7 y~ 12 y	0	14	0		731	14	759	13.07
12 y~ 18 y	0	0	0		156	4	160	2.76
	83	1 649	3		4 039	32	5 806	100.00

